

# **KEITH PRODUCTS, Inc.**

#### **ENVIRONMENTAL SYSTEMS**

# **CERTIFICATION REPORT NO. CR-400-99** AIR CONDITIONING/HEATING SYSTEM INSTALLATION FLIGHT MANUAL SUPPLEMENT

FOR

**CESSNA MODELS:** 402B, S/N 402B0301 and up; 414, S/N 414-0351 and up; 414A, 421B, 402C - all S/N's; 421C - all S/N's (6, 7, 8, 9, 10 seat)

STC NO. SA8RM

Date: February 21, 1973 Revision:

D

PARKER HANNIFIN CORPORATION
AIRBORNE DIVISION
(Formerly JB Systems)
P.O. BOX 800
LONGMONT, CO 80501

FAA APPROVED

AIRPLANE FLIGHT MANUAL SUPPLEMENT

FOR

CESSNA MODELS: 402B, S/N 402B0301 and up 414, S/N 414-0351 and up 414A, 421B, 402C - all S/N's 421C - all S/N's (6,7,8,9,10 seat)

Registration	No.	
Serial No		

This supplement is part of the FAA approved operating limitations and must be carried in the aircraft when an airconditioning system is installed in accordance with STC SA8RM. The information contained herein supplements or supersedes the basic data only in those areas specified. For limitations, procedures, and performance information not contained in this supplement, consult the original approved manual material, markings, and placards.

I. LIMITATIONS Page 2

II. EMERGENCY PROCEDURES Page 2

III. NORMAL PROCEDURES Page 2

IV. PERFORMANCE Page 2

FAA APPROVED Scrald E. Londblood

DATED February 21, 1973

GERALD E. GOODBLOOD, Chief Engineering and Manufacturing Branch ARM-210

Page 1 of 3

Revision D

I.	L	IM	IT	AT	I	ONS	:
----	---	----	----	----	---	-----	---

Placard on Instrument Panel:

TURN AIRCONDITIONER OFF FOR T/O AND LANDING.

## II. EMERGENCY PROCEDURES:

In the event of alternator failure, turn off airconditioner.

## III. NORMAL PROCEDURES:

Airconditioning system operation. The airconditioning switch is located on the pilot's instrument panel.

Turn airconditioner off - when performing alternator checks.

To turn airconditioner ON - Move switch to 'AIRCONDITIONER'.

To turn airconditioner OFF - Move switch to 'OFF'.

For circulation without cooling - Move switch to 'FAN ONLY'.

#### IV. PERFORMANCE:

No change.

FAA APPROVED		DATE	February 21, 1973		
REVISION	D			Page 2 of 3	

REVISION NUMBER	NO.	GES DATE	DESCRIPTION	FAA APPROVED
А	1	9/24/79	Added Model 402C and changed format.	J. P. audy
В	All	1/22/80	Revised to show cor- rect orig. release date.	J. D. Clarky
С	All	2/4/81	Revised to change company name. Added S/N to model callouts.	J. P. Cludy
D	2	10/5/82	Added: "Turn aircond. off when performing alternator checks."	J. P. Church
				·
			-	

FAA APPROVAL	Level C. Lodo	DATE_	February 21,	1973
REVISION	Ð	-		Page 3 of 3